IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): A process, which comprises:

alkoxylating for the alkoxylation of a monool with at least one alkoxylating agent to obtain a polyoxyalkylene alcohol in the presence of wherein a catalyst is employed which comprises a metallo-organic framework material of metal ions and at least bidentate coordinately bound organic ligands.

Claim 2 (Currently Amended): The process according to claim 1, wherein the metal ion is selected from the group consisting of any one elements of Groups 1 to 18, and combinations thereof-among ions of elements of groups Ia, IIa, IIIa, IVa to VIIIa and Ib to VIb of the periodic table of the elements.

Claim 3 (Currently Amended): The process according to claim 1, wherein the bidentate organic ligand is selected from the group consisting of among a substituted aromatic mononuclear polycarboxylic acid, and an unsubstituted aromatic mononuclear polycarboxylic acid, and an unsubstituted polynuclear aromatic polycarboxylic acid, acids an unsubstituted polynuclear aromatic polycarboxylic acid, a substituted aromatic mononuclear polycarboxylic acid comprising at least one heteroatom, an unsubstituted aromatic polynuclear polycarboxylic acid comprising at least one heteroatom, a substituted aromatic polynuclear polycarboxylic acid comprising at least one heteroatom, an unsubstituted aromatic polynuclear polycarboxylic acid comprising at least one heteroatom, and combinations thereof. substituted or unsubstituted aromatic mono- and polynuclear polycarboxylic acids which comprise at least one hetero atom.

Äpplication No. 10/611,863
Reply to Office Action of June 29, 2004

Claim 4 (Currently Amended): The process according to claim 3, wherein the bidentate organic ligand is terephthalic acid or a derivative thereof.

Claim 5 (Original): The process according to claim 1, wherein the metallo-organic framework material exhibits a specific surface area, as determined via adsorption, of > 20 m²/g.

Claim 6 (Currently Amended): The process according to claim 1, wherein the alkoxylation agent is selected from the group consisting of among mono- and a monofunctional epoxide having 2 to 30 carbon atoms, a multifunctional epoxide epoxides having 2 to 30 carbon atoms, and mixtures thereof. of two or more thereof.

Claim 7 (Currently Amended): The process according to claim 6, wherein the epoxide is selected from the group consisting of ethylene oxide, propylene oxide, a butylene oxide, butylenes oxides and mixtures thereof.

Claim 8 (Cancelled).

Claim 9 (Withdrawn; Currently Amended): The A method of using an alcohol obtained by the process as claimed in claim 1, which comprises:

according to claim 8 as

<u>preparing a tenside</u>, <u>a flotation oil</u>, <u>a lubricating liquid</u>, <u>a hydraulic fluid</u>, <u>a carrier liquid or in a polyurethane foam comprising the alcohol. foams.</u>

Application No. 10/611,863 Reply to Office Action of June 29, 2004

Claim 10 (Withdrawn): The method of using according to claim 9 where the alcohol is selected from monools of linear and branched alkyl groups having 1 to 30 carbon atoms, which alkyl groups may carry one or more aryl substituents, of homo- and polynuclear aromatic groups having 4 to 30 carbon atoms, which aromatic groups may carry one or more alkyl substituents, and of linear and branched alkenyl groups having 2 to 30 carbon atoms and which alkenyl groups may carry one or more aryl substituents.